Confident Quantitation

Sensitivity and robustness without compromise



Thermo Scientific TSQ Altis triple-stage quadrupole mass spectrometer



Experience confident quantitation: TSQ Altis Triple-Stage Quadrupole MS with **AIM**+

Active collision cell with axial DC field

Enables ultra-fast selected reaction

monitoring (SRM).

Optimized high capacity transfer tube (HCTT) O-Maximizes ion introduction while maintaining robustness.

Electrodynamic Ion Funnel (EDIF)

Efficient capture and gentle movement of ions from the HCTT into the vacuum region provides ultimate sensitivity.

No compromises: supreme quantitative performance

Your samples are limited and precious. The TSQ Altis mass spectrometer makes the most of every attogram. Analytical labs demand robust, sensitive, and efficient targeted quantitation workflows to meet their scientific and business goals. The TSQ Altis triple quadrupole mass spectrometer is designed to help scientists achieve these goals every day, for every sample.

Sensitive, selective, fast

Innovations in the ion source, mass analyzer and RF electronics offer high sensitivity, reduced noise, and more data points with high SRM rates. You can confidently quantify compounds at extremely low concentrations, in the most challenging matrices.

Robust, reliable, reproducible

The TSQ Altis MS is designed for stable, reliable and consistent performance. Novel ion optics and source designs enhance robustness, reduce maintenance, and increase reproducibility. Every TSQ Altis MS produces results that you can have confidence in every day. • Enhanced dual-mode discrete-dynode electron multiplier detector

Extends multiplier lifetime with increased surface area. Maintains excellent linearity and dynamic range.

Segmented quadrupoles: H-SRM (0.2 Da FWHM) Enhances ion transmission and consistency to ensure superb sensitivity and reproducible results across instruments and over time for increased productivity.

• **Ion beam guide with neutral blocker** Provides robust performance and maximum sensitivity by blocking neutrals and efficiently transmitting ions.

Active Ion Management Plus (AIM+)

The next step in precision design ensures ultimate performance in ion management, inception to detection, from the Thermo Scientific[™] OptaMax[™] NG ion source housing to the enhanced electron multiplier. AIM+ incorporates segmented quadrupoles and enhanced RF and DC electronics to further optimize ion management precision, reliability, speed, and reproducibility.

Confident by design

The Thermo Scientific[™] TSQ Altis[™] triple-stage quadrupole mass spectrometer is designed with confidence in mind. TSQ Altis MS delivers superb sensitivity and excellent robustness reliably, for all applications, thereby enabling confidence in your results day in and day out.



OptaMax NG ion source APCI ready Automates all gas and voltage connections for ease-of-use. Provides optimizable spray position for ultimate performance in HESI or APCI mode.

Effortless Productivity

The TSQ Altis mass spectrometer provides practical ease-ofuse and performance features to increase sample throughput.

- Simple maintenance (no need to break vacuum)
- More compounds per sample-more samples per day
- Automated compound optimization
- SRM visualization and optimization
- Streamlined data review and reporting

SRM visualization for maximizing SRM performance

6	SM Table Interest faces + X												And and a second second
		Compound	Retention Time (min)	RT Window (min)	Pelarty	Precurser (m/2)	Product (mild	Collision Energy M	Min Dwell Time (mp) *		Dwell	Time per Tra	nel time > :10.0 & <3
500	1	Chlormequat	0.09	0.7	Postine	122.32	41.817	\$1.06	40.311				
I Scan (0)	2	Chlormequal	0.69	0.7	Pestive	122.32	57.889	25.13		900			-
	3	Chlormequat	0.09	0.7	Positive	122.32	62.809	21.12		800			_
	4	Mepiquatchioride	0.35	0.7	Positive	114.392	\$7.96	25.07		\$			-
-	5	Mepiquatchioride	0.78	0.7	Positive	114.392	69.942	34.47		2 000			
en j	6	Mepiquatchioride	0.75	0.7	Positive	114.392	98.343	26.38		8 500		-	
sen	2	Oversating	1.85	2.5	Positive	167.112	67.96	32.96		2			
-		gromatine	1.85	2.5	Positive	167.112	85	18.95		200			100
cen 🛛	2	gremazine	1.85	2.5	Positive	167.112	125.054	17.89					
-	10	Methanidophos	1.7	2	Positive	141.962	94.014	14.3					
	11	Methamidophos	17	2	Positive	141.962	109.889	15.66			2	4 Time (min)	8 10
	12	Methanidophos	1.7	2	Positive	141.962	124.96	14.3					
QE0 1	13	acephate	2.62	2	Positive	184.305	95.014	24.11					Transition
	14	acephate	2.62	2	Positive	184.308	124.817	18.39			Number	of Transitions per l	Cycle
	15	acephate	2.62	2	Positive	104.300	143	10.25		200			- 52
	16	Pymetrazine	3-22	2	Positive	218-362	78	39.33					A
	17	Pymetropine	3.22	2	Positive	218.362	79.014	40.49		¥ 150			1.1
	18	Pymetrazine	3.22	2	Positive	218-362	105	20.47		and a second			11
	19	Omethoate	3.08	0.8	Positive	214.312	124.929	21.78		8 100			
	20	Omethoate	3.08	0.5	Positive	214.312	155	15.71		3			N 1
	21	Omethoate	3.08	0.8	Positive	214.312	182.942	10.25		2.		14	1
	22	Propamocarb	5.2	1	Postive	189.262	57.809	27.8		50		1.0.18	1
	23	Propamocarb	3.2	1	Positive	189-362	73:942	24.81			~	~ w ~	
	24	Propamocarb	3.2	1	Postive	109.262	102	17.33		-	2		. 10
	.25	Presserves	12		Pacifics	189 362	144.125	12.00	16.00			Time (min)	- 10

Make your pharma and biopharmaceutical research workflows more productive



The industry-leading sensitivity and selectivity of the TSQ Altis mass spectrometer make it an ideal instrument for developing targeted quantitation assays that can quantify all types of molecules at ultra-low levels in complex biological matrices.

- Easy to use regardless of application, from nano to highflow methods
- Extra selectivity for peptide quantitation applications with Highly Selected Reaction Monitoring (H-SRM) capability
- Sensitivity to detect your lowest level metabolites or make your most challenging assay easy

Superior sensitivity and reproducibility to quantify Fluticasone Propionate in matrix.

0.14-

0.13-

0.12-

0.11-

0.10-0.09-

0.07-

0.06-

0.05-

0.04-

0.03-

0.02-



Improving limits of quantitation with high resolution SRM (H-SRM, 0.2 Da FWHM).



0.5 fmol NGFILDGFPR in plasma digest

Meet clinical research and forensic toxicology testing requirements



From identifying and quantifying steroids, to quantitation of illicit drugs, clinical research and forensic toxicology applications demand high sensitivity, precision, and reliability. The TSQ Altis mass spectrometer provides ultrahigh sensitivity and reproducibility for the quantitation of low-level compounds in complex biological matrices.

- Increase productivity with simplified workflows and multi-channel technology to maximize throughput
- Easy to use workflows from sample injection to report generation
- Robust and consistent performance day after day

Robust and consistent performance under challenging conditions, maximize uptime.



The sensitivity required for the most demanding applications



Keep up with the high-sensitivity demands of **food** and **environmental safety** testing



New challenges in food and environmental safety emerge every day. Quantitation of hundreds of contaminants at ultralow levels can be easily performed using the TSQ Altis mass spectrometer. Robust quantitation, outstanding reproducibility, ultimate sensitivity, and remarkable speed provide the highest confidence in your workflows.

- Speed to analyze more compounds per injection or reduce run times overall
- · Robustness to run more samples with minimal maintenance
- Easy data visualization and customized reporting
- Sensitivity to detect emerging contaminants at ultra-low levels

Reliable and consistent ion ratio confirmation when analyzing contaminants at low concentrations in challenging matrices



Confident quantitation of challenging analytes. Powerful LC- and IC-MS/MS solutions for environmental analysis.



IC-MS/MS Analysis of Glyphosate at 5 ng/L 3 % RSD for 3 replicate injections

Thiacloprid in leek 10 x below MRL

Thiacloprid in leek at MRL

Workflow-driven software, solutions, and support streamline your applications

From instrument optimization and troubleshooting to routine method development and reporting, integrated workflow solutions streamline everyday tasks. TraceFinder software supports food safety, pharmaceutical and biopharmaceutical, and clinical research and forensic toxicology applications with comprehensive workflows that reduce time to results and increase day-to-day productivity.



TraceFinder

One software for all applications, from method development to report generation



AppsLab method library A comprehensive repository

for application methods, data sets, and application notes



Chromeleon

Superior instrument control, automation, data processing, and ability to address regulatory requirements

Our global Centers of Excellence, in-your-lab training using your methods, and AppsLab Library of Analytical Applications, ensure your success.

Thermo Scientific inlet solutions

The TSQ Altis mass spectrometer can be paired with a range of high-performance Thermo Scientific inlet systems.

- Thermo Scientific[™] Vanquish[™] UHPLC system
- Thermo Scientific[™] Vanquish[™] Flex Binary and Quaternary UHPLC systems
- Thermo Scientific[™] Transcend[™] II system
- Thermo Scientific[™] Prelude SPLC[™] system with multiplexing
- Thermo Scientific[™] Dionex[™] ICS-5000⁺ Capillary HPIC[™] system
- Thermo Scientific[™] Dionex[™] Integrion[™] HPIC[™] system



Transforming triple-stage quadrupole mass spectrometers

The TSQ Altis mass spectrometer is a next-generation triple quadrupole mass spectrometer designed to provide ultimate confidence in results. The TSQ Altis MS is built on a foundation of state-of-the-art hardware and software components providing superb performance with unmatched analytical flexibility and robustness for the most demanding applications.



Find out more at thermofisher.com/Altis-Quantis



For Research Use Only. Not for use in diagnostic procedures. © 2017 Thermo Fisher Scientific Inc. ProSight Lite is a registered trademark of Northwestern University. All rights reserved. All trademarks are the property of Thermo Fisher Scientific and its subsidiaries unless otherwise specified. BR64951 – EN 0517S.